

# LAKE ASSESSMENT REPORT

## MARIETTA NORTH, LAKE

8 /1 /2002

---

---

Lake assessments are being conducted to contribute physical and ecological data to the Atlas as a collaborative effort between project partners. The goal is to rapidly assess many of the lakes in the county and thus provide stakeholders a better understanding of the character of the lake, its shore, and the aquatic plants present there. These data are intended to assist in the future management of the lake and its watershed.

The first section of the report provides the results of the bottom mapping effort: a contour (bathymetric) map of the lake, area, volume and depth statistics, and the water level at the time of assessment (if available).

The second section provides the results of the ecological (vegetation) assessment conducted on the lake. These results can be used to better manage vegetation in the lake. A list is provided with the different plant species found at various sites around the lake. Potentially invasive, exotic (non-native) species are identified in a plant list and the percent of exotics is presented in a summary table. The results of this study are compared with other lakes in the watershed.

The intent of the assessment is to provide a starting point from which to track changes in the lake. These data can provide the information needed to determine changes and to monitor trends in physical condition and ecological health of the lake.

### I. Physical Data – Area, Depth, Volume, & Bottom Contours

The bottom of the lake was mapped using a Global Positioning System (GPS) to determine the boat's position, and a depth-finder to provide depth associated with that measured position. The result is an estimate of the lake's area, mean and maximum depths, and volume (Table 1) and the creation of a bottom contour map. *NOTE: This map is for recreational purposes only.*

**Table 1. Physical Characteristics of the Lake**

Surface Area (acres):	22
Mean Depth (feet):	5.5
Maximum Depth (feet):	11.0
Volume (gallons):	43,753,201




The lake assessments are created in partnership with Seminole County and the Florida Center for Community Design and Research. If you have any questions, please use the "Contact Us" form on the Seminole Atlas Website ([www.seminole.wateratlas.org](http://www.seminole.wateratlas.org)).



# Lake Marietta North

Section - Township - Range  
1-20-29



Contour Lines  
Expressed in  
2-Foot Intervals



Estimated Lake  
Perimeter

## EXPLANATION:

Assessment Date: August 1, 2002.  
Lake water level was 39.18 feet above sea level when the lake was assessed. Contours are expressed in absolute depth below this level and may not exclude the presence of submersed aquatic vegetation.

## DATA SOURCES:

Seminole County 1999 color aerials provided by Seminole County Public Works. All contours generated by Florida Center for Community Design and Research based on GPS/Sonar data provided by the Seminole County Stormwater Division.



0 100 200 300 400 Feet



## II. Ecological Data - Aquatic Plant Survey

Approximately equispaced sites (typically ten or more) are mapped around the lake and the aquatic plants at each site are surveyed. The total number of species from all sites is used to approximate the total diversity of aquatic plants and the percent of invasive-exotic plants on the lake and in the watershed (Table 2). Many of these plants are considered ecologically harmful, as they tend to out-compete beneficial native species. Such “nuisance” plants can also make boating and other recreational activities difficult or impossible. The common and scientific names of plant species found on your lake are listed in Table 3.

**Table 2. Comparison of species diversity between the lake and other assessed lakes located within the same watershed**

	<u>Lake</u>	<u>Watershed</u>
	MARIETTA NORTH, LAKE	Yankee Lake
	(Average)	
Number of Taxa:	23	24
Percent Exotic Plants:	13%	11%

**Table 3. Botanical and common names of the most commonly found plants on the lake. Percent frequency (of occurrence), habit (location where found), status (native or exotic), and EPPC status are provided**

Common Name	Scientific Name	Frequency	Habit	Status	EPPC
Manyflower Marshpennywort, Water Penny	Hydrocotyl umbellata	100%	Emergent	Native	NL
Banana Lily, Big Floatingheart	Nymphoides aquatica	100%	Floating	Native	NL
Torpedo Grass	Panicum repens	100%	Emergent	Exotic	I
Yellow-eyed Grass	Xyris spp.	100%	Emergent	Native	NL
Fragrant Flatsedge	Cyperus odoratus	83%	Emergent	Native	NL
American White Water Lily, Fragrant Water	Nymphaea odorata	83%	Floating	Native	NL
Southern Umbrellasedge	Fuirena scirpoidea	67%	Emergent	Native	NL
Carolina Redroot	Lachnanthes caroliniana	67%	Emergent	Native	NL
Southern Red Maple	Acer rubrum	50%	Emergent	Native	NL
Sedge	Cyperus spp.	50%	Emergent	Unknown	NL
Peruvian Primrosewillow	Ludwigia peruviana	50%	Emergent	Exotic	NL
Wax Myrtle	Myrica cerifera	50%	Emergent	Native	NL
Carolina Willow	Salix caroliniana	50%	Emergent	Native	NL
Baldwin's Spikerush, Roadgrass	Eleocharis baldwinii	33%	Submersed	Native	NL
Pine Tree	Pinus spp.	33%	Emergent	Native	NL
Buttonbush	Cephalanthus occidentalis	17%	Emergent	Native	NL
Dahoon Holly	Ilex cassine	17%	Emergent	Native	NL
Creeping Primrosewillow, Red Ludwigia	Ludwigia repens	17%	Emergent	Native	NL

Manatee Mudflower, Baby's Tears	Micranthemum glomeratum	17%	Submersed	Native	NL
Climbing Hempvine	Mikania scandens	17%	Emergent	Native	NL
Marsh Fleabane,Camphorweed	Pluchea spp.	17%	Emergent	Native	NL
Cattails	Typha spp.	17%	Emergent	Native	NL
Para Grass	Urochloa mutica	17%	Emergent	Exotic	I